
A-LAS Series

AGL4-...-HS-500kHz-24V_LED

(with adjustment LED)


- For control of A-LAS analog laser light barriers
- Digital output static (+Ub/0V) and digital output dynamic (10ms, +Ub/0V)
- Threshold correction can be activated via jumper
- High switching frequency (typ. 500 kHz)
- Analog output (0V ... +10V)
- Analog output (4 ... 20mA)
- High analog bandwidth (500 kHz for voltage output, 100 kHz for current output)
- High accuracy triggering
- Detection of smallest objects (starting from 10 μm)
- Dirt accumulation indication and compensation
- Switching state indication dynamic





Design

Product name:



Instruments






Technical Data


Model	AGL4HS-500kHz-24V_LED (with adjustment LED)	
Voltage supply	+24VDC ± 10%, reversed polarity protected, short-circuit protected	
Current consumption	with A-LAS sensor: typ. 80 mA (unloaded outputs)	
Operating temperature range	-20°C +60°C	
Storage temperature range	-20°C +85°C	
Trigger accuracy	< 1µm (depends on the aperture used with A-LAS sensor, and activated threshold correction)	
Min. detectable object	starting from 10 µm (depends on the aperture of the A-LAS sensor frontend)	
Housing material	aluminum, anodized in blue	
Housing dimensions	LxWxG approx. 65 mm x 27 mm x 30 mm	
Type of protection	IP 64	
Threshold correction	adjustable by means of integrated jumper	
Output ANALOG (voltage)	0V +10V cutoff frequency 500 kHz (-3dB)	
Output ANALOG (current)	4 20mA cutoff frequency 100 kHz (-3dB)	
Output DIGITAL STATIC	1x Q and 1x Qinv: low 0V, high +Ub Q = npn dark-switching (npn normally open) / pnp bright-switching (pnp normally closed) Qinv = npn bright-switching (npn normally closed) / pnp dark-switching (pnp normally open)	
Output DIGITAL DYNAMIC	1x dynamic (pulse length 10 ms): low 0V, high +Ub AGL4-Q-HS-500kHz-24V: npn dark-switching (npn normally open) / pnp bright-switching (pnp normally closed) AGL4-Qinv-HS-500kHz-24V: npn bright-switching (npn normally closed) / pnp dark-switching (pnp normally open)	
Potentiometer for adjust- ment of gain	3-revolutions-potentiometer integrated in the housing	
Potentiometer for adjust- ment of trigger threshold	3-revolutions-potentiometer integrated in the housing	
Dirt accumulation LED (DT)	LED red (LED red = sensor dirtied, LED off = Sensor not dirtied)	
Switching state LED DYNAMIC (DY)	LED yellow (LED yellow = dynamic output ON, LED off = dynamic output OFF) LED red/green (red = object is moving through sensor, green = no object is moving through sensor)	
Switching state LED STATIC (ST)	LED yelllow/green (LED yellow = object is moving through sensor, green = no object is moving through sensor)	
Adjustment LED (alignment aid)	LED red/green (LED red = transmitter and receiver not aligned, LED green = sensor ready for operation, also cf. adjustment procedure)	
Type of connector	Connection to the PLC: 8-pole connector Binder Series 712 Connection to A-LAS sensor: 7-pole fem. connector Binder Series 712 with integrated cable	
Connecting cables	Connecting cable to PLC: cab-las8/702-fem (sutiable lengths: 1m, 2m, 3m, 5m) Connecting cable to A-LAS sensor: cab-las-y (standard length: 2m, available up to max. 25m)	
Switching frequency	typ. 500 kHz	
EMV test acc. to	DIN EN 60947-5-2 (€	





Potentiometer for adjustment of amplificiation (AMP)

Increase of analog signal: Rotation clockwise (3-revolutions-potentiometer)



Potentiometer for adjustment of threshold (THD)

Increase of sensitivity Rotation clockwise (3-revolutions-potentiometer)

LED yellow/green "STATIC" (ST)

LED red "DIRT ACCUMULATION" (DT)

LED off: Sensor not dirtied LED red: Sensor dirtied

Jumper for adjustment of threshold correction

(Jumper inside housing, under cap)

Fix threshold

(standard adjustment)

Alternatively adjustable: Threshold correction TC (please open cap of housing to switch jumper)

Adjustment procedure via the adjustment LED (LED red/green):

Step 1:

Turn back the AMP potentiometer counter-clockwise up to the stop (when the zero point is reached it is signified by a small clicking noise).

As long as transmitter and receiver are not adjusted, the adjustment LED lights red at the electronic control unit.

Now adjust transmitter and receiver axial in a line in the required working distance in such a way that the laser spot is positioned in the middle of the receiver. As soon as transmitter and receiver are correctly aligned, the red adjustment LED switches off.

Now adjust amplification via the AMP potentiometer by turning it clockwise until the adjustment LED lights green.

The laser light barrier now is ready for operation.





Connector Assignment

Connection AGL4-HS-500kHz-24V_LED to A-LAS sensor frontend (transmitter and receiver):

7-pole fem. connector type Binder Series 712

oin no.:	Assignment:	
1	GND (0V)	. 4
2	+5V	
3	not connected	
4	+5V	(°°)
5	ANALOG (0V +5V)	(0 0)
6	not connected	
7	GND (0V)	
	• •	/

Connecting cable*: cab-las-y-(length) or cab-las-y-male-(length) (standard length: 1m, also available lengths: 2m, 3m, 5m)

(* type of connecting cable depends on which A-LAS sensor frontend is used)

Connection AGL4-HS-500kHz-24V_LED to PLC:

8-pole connector type Binder Series 712

Pin no.:	(color of wire)	Assignment:
1	(white)	GND (0V)
2	(brown)	+Ub (+24VDC ± 10%)
3	(green)	ANALOG (420mA)
4	(yellow)	DIRT 7
5	(grey	OUT (+Ub/0V)
6	(pink)	OUT/ (+Ub/0V)
7	(blue)	in case of AGL4-Q-HS-500kHz-24V: PULSE 💆
		in case of AGL4-Qinv-HS-500kHz-24V: PULSE/ 📩 📙
8	(red)	ANALOG (0V +10V)

Connecting cable: cab-las8/702-fem-(length) (standard length: 2m, max. available length: 25m)

